



1001 Bellefontaine Ave. Lima, Ohio 45804
419-226-5058 or 1-800-227-3564

**SEMEN ANALYSIS COLLECTION INSTRUCTIONS
COMPLETE SEMEN ANALYSIS (QUANTITATIVE)**

(not to be used for post vasectomy analysis)

**SAMPLES FOR SEMEN ANALYSIS TESTING ARE ONLY TESTED ON
MONDAYS, WEDNESDAYS, AND FRIDAYS
FROM 6 AM TO 6 PM**

(Samples received during any other times will be discarded and will need recollected)

CAUTION: For accurate test results, read Patient Instructions completely before performing this test.

Test Precautions:

- ➔ For accurate results, please refrain from sexual intercourse and masturbation for between 2 and 7 days prior to collection.

Specimen Collection:

1. Produce the sample by masturbation without artificial lubrication.
When collection by masturbation is not possible, special lubricant-free condoms from Milex Products, Inc, may be used.
2. Collect the sample in a clean, wide-mouth container made of glass or plastic. It is important that the whole ejaculate be collected. If not, the sample should be labeled “incomplete” and the laboratory staff should be informed
3. Label the specimen with your Name, Date of Birth, Collection Date and Collection Time.
4. **As soon as possible, and within 1 hour of collection**, sample is to be delivered to the laboratory. Specimen should be kept as close to the body as possible to keep the specimen warm and any spermatozoa viable.

Patient Name: _____ Date: _____ Collection Time: _____

1. How many days abstinence prior to collection? _____
2. Type of specimen container (*circle one*): Wide mouth plastic cup / Condom
3. Method of Collection (*circle one*): Masturbation / Sexual Intercourse
4. Were there any collection or transport problems such as exposure to extreme temperatures? (*circle one*) Yes / No
5. Has the specimen been maintained at body temperature? (*circle one*) Yes / No